

# Filiofocus


CREATED IN 2000

---

DESIGN: DOMINIQUE IMBERT

*In 2000, star architect Norman Foster commissioned Focus to create a custom-designed fireplace for the vast reception area of the London head office of a major company. This gave rise to the Filiofocus with its tapering telescopic hood.*

*With the fire on its welcoming hearth visible from everywhere in a room, the Filiofocus has won over design enthusiasts in the hotel and restaurant industry the world over who have chosen it for their reception, relaxation or dining areas.*



**focus®**

CREATE BEYOND CONVENTION

# Filiofocus

1600

bioethanol



## ***Freedom of installation, total ease of use***

*The Filiofocus is also available in a bioethanol version for maximum versatility. Operated by remote control, its open flames dance in a glass cylinder, offering fire in its purest form. Smokeless, requiring no external flue outlet, this iconic fireplace can now be installed in any space: in apartments, on any floor, or in areas with wood-burning restrictions.*



# Filiofocus

1600

bioethanol



## DIMENSIONS / WEIGHT

| HEIGHT (mm) | WIDTH (mm) | DEPTH (mm) | FIREPLACE WEIGHT (kg) |            |              | FLUE WEIGHT (kg/linear metre) |
|-------------|------------|------------|-----------------------|------------|--------------|-------------------------------|
| 2385        | 1120       | 1120       | Hood<br>76            | Base<br>80 | Burner<br>16 | 16                            |

## DISTANCE FROM COMBUSTIBLE MATERIALS

| FRONT (mm) | BACK (mm) | SIDE (mm) | FLOOR (mm) |
|------------|-----------|-----------|------------|
| 500        | 500       | 500       | 0          |

## SAFETY DISTANCE FROM GLASS SURFACES (mm)

|     |
|-----|
| 500 |
|-----|

## WITH EXTERNAL OUTLET

| HEAT OUTPUT (kW) | TANK CAPACITY (L) | AUTONOMY (h) | MIN. CEILING VOLUME (m³) |
|------------------|-------------------|--------------|--------------------------|
| 6.5              | 13.5              | 13 h 30 min  | 0                        |

## WITHOUT EXTERNAL OUTLET

| HEAT OUTPUT (kW) | TANK CAPACITY (L) | AUTONOMY (h) | MIN. CEILING HEIGHT (m) | MIN. ROOM VOLUME (m³) |
|------------------|-------------------|--------------|-------------------------|-----------------------|
| 5.5              | 13.5              | 14 h 30 min  | 2.84                    | 125                   |

## NUMBER OF GLASS PANELS

|                                    |
|------------------------------------|
| 4 glass panels: 2 fixed, 2 sliding |
|------------------------------------|

## ELECTRICAL POWER SUPPLY

|           |
|-----------|
| Batteries |
|-----------|


## FINISH

|       |       |
|-------|-------|
| Black | White |
|-------|-------|

# Filiofocus

1600

bioethanol



\*if not connected to an external outlet



CREATE BEYOND CONVENTION

