

FILIOFOCUS Bioethanol by IGNISIAL

The bioethanol Filiofocus 1600 opens an exciting new chapter in the history of this stylish, award-winning centrepiece, originally created for the architect Norman Foster.



With its conical hood suspended over a floor-standing fire basin, the Filiofocus 1600 asserts itself as a work of art in its own right. With a hearth diameter of 1.12 m and requiring a ceiling height of just 2.80 m minimum (not connected), it offers Focus's radical elegance in a size suited to contemporary spaces.

Its design is equally iconic and inviting, with the fire on its welcoming hearth visible from everywhere in the room. An attribute that has won over the many design enthusiasts in the hotel and restaurant industry who have chosen a Filiofocus for their reception, relaxation or dining areas.

The bioethanol Filiofocus opens up new installation possibilities: in apartments, spaces welcoming the public, areas where wood burning is prohibited, etc. Equipped with a 13.5-litre tank that allows at least 12 hours of autonomy and operating by mains (or battery as an option), the model is as convenient as it is stylish.

Its open flames dance in a glass cylinder, exposing fire in its most elemental state and reinforcing the vertical visual power of the fireplace. The Filiofocus is equipped with a remote control to switch them on and off (does not adjust heat output) and include safety features such as electronic ignition, refilling and reignition impossible when the hearth is hot, and a built-in CO2 sensor developed in collaboration with Ignisial Paris.

- Characteristic

SPECIFICATIONS		
Use	Only indoor	
Recommended combustible	Bioethanol Aluflam (https://ignisial-paris.com/bio-ethanol-aluflam/) or Denatured Bioethanol with a concentration between 96% and 96.6%, free of colorants	
Tank capacity	13.5 liters	
Power	Mains powered – optional battery	
Optional Battery autonomy*	9 ignitions - 7 filling	
Remote control	2 buttons (ON - OFF)	
Decorative element	Round glass	
Fireplace finition	Black/White	
Market	UE	
Guarantee	2 years (without accessories)	
Manufacturing	French	
SAFETY		
Ignition	Electronic	
Filling	Electronic Overflow Protection Pump	
CO2 sensor	Yes (Threshold of 1000 ppm)	
Refuelling and Ignition Not Possiblewhen appliance is hot		
INSTALLATION		
	NOT CONNECTED	CONNECTED
Nominal heat output	5.5 kW	6.5 kW
Maximal autonomy	14h30	13h30
Minimum room volume	125 m³	N/A
Air renewal rate	1 air change per hour	N/A
Minimum ceiling height	2m84	2m50
PACKAGING		
Basin+Riser (L x l x h)	1250 x 1250 x 560 mm	
Basin+Riser (Gross Weight)	93 kg	
Hood (L x l x h)	1920 x 780 x 880 mm	
Hood (Gross Weight)	159 kg	
Burner (L x l x h)	800 x 600 x 500 mm	
Burner mass (Gross Weight)	35 kg	


* Data may vary with time and battery wear.

Find all installation information on your dedicated professional space by consulting the following link: <https://pro.focus-creation.com>

This document is the property of Atelier Dominique Imbert SAS. It is strictly reserved for the use of our partner-resellers to whom it is addressed. It contains privileged and confidential information. Any disclosure of this document to third parties is strictly prohibited without our prior written authorization, under penalty of damages and legal action for infringement.

- Installation configurations not connected to a chimney flue

- Ceiling height ≥ 2840 mm :



- Installation configurations connected to a chimney flue

- Ceiling height ≥ 2500 mm :

